

ADDENDUM Nr. 3

RFB N° 47A003041/CP/62/2024

OUTPUT AND PERFORMANCE BASED ROAD CONTRACT (OPBRC) IN N1 CORRIDOR, LOT 2: GORONGOSA - CAIA (84 - 168KM) IN SOFALA PROVINCE

No	Reference	Bidding Document	Addendum-3
1	Section IV - Bidding Forms Appendix to Financial Part-	Schedule of Adjustment Data Table A: Local Currency Table B: Foreign Currency Table C: Summary of Payment Currencies	All these Three Tables (Table A: Local Currency; Table B: Foreign Currency and Table C: Summary of Payment Currencies) will be part of Financial Proposal of the bidders i.e. Letter of Bid-Financial Part in accordance with ITB 12.1. A bidder disclosing these three tables in his technical bid may be eliminated from the bidding process.
2	Section IV - Bidding Forms Appendix to Financial Part- Schedule of Adjustme nt Data- Table B. Foreign Currency	Where it reads: Table B. Foreign Currency NOT APPLICABLE.	Replace with: Table B. Foreign Currency State type: [If the Bidder wishes to quote in more than one foreign currency, this table should be repeated for each foreign currency.] Note: The Indices used for Foreign Currency and their sources should reflect the same indices and sources as stated in Table A on the previous page for Local Currency.

Reference		Bidding Document		Addendum-3					
No				Index code	Index description	Source of index	Base value and date	Bidder's related currency amount	*Bidder's proposed weighting
					Nonadjustable		-	-	A: 0.15
				LW	Labour Wage	US bureau of labor statistics			B:
				BI	Bitumen	US bureau of labor statistics			C:
				DI	Diesel	US bureau of labor statistics			D:
				CE	Cement	French publication "Le Moniteur"			E:
				ST	Steel Bars	US bureau of labor statistics			F:
							Total		1.00

[* bidders must provide the specific value for the proposed weighting.]

No	Reference	Bidding Document	Addendum-3																																																																
3	<p>Section III – Evaluation and Qualification Criteria</p> <p>Qualification no -4. Experience</p>	<p>Where it reads:</p> <p>4.2(B):</p> <p>For the above and any other contracts [substantially completed and under implementation] as prime contractor, joint venture member, or sub-contractor between</p> <p>1st January 2019 and Bid submission deadline, a minimum construction experience in terms of average annual production during the 5-year period starting 1st January 2019 and 31st December 2023) in the following key activities successfully completed (expressed in terms of annual production):</p> <ul style="list-style-type: none"> ❖ 400,000 m² DBST ❖ 150,000 m³ of crushed Stone Road Base placed in road pavement; ❖ 180,000m³ of Mechanical or chemically stabilized base or Subbase placed in road pavement; ❖ 400,000m³ of earthworks <p>Bridge construction (at least 40 m in length): At least two bridges constructed during the 5-year period.</p>	<p>Replace with:</p> <p>4.2(B):</p> <p>For the above and any other contracts [substantially completed and under implementation] as prime contractor, joint venture member, or sub-contractor between</p> <p>1st January 2019 and Bid submission deadline, a minimum construction experience in terms of average annual production during the 5-year period starting 1st January 2019 and 31st December 2023) in the following key activities successfully completed (expressed in terms of annual production):</p> <ul style="list-style-type: none"> ❖ 400,000 m² DBST or 400,000 m² Asphalt Concrete or Bituminous Hot Mix Asphalt Pavement. ❖ 150,000 m³ of crushed Stone Road Base placed in road pavement; ❖ 180,000m³ of Mechanical or chemically stabilized base or Subbase placed in road pavement; ❖ 400,000m³ of earthworks <p>Bridge construction (at least 40 m in length): At least two bridges constructed during the 5-year period.</p>																																																																
4	<p>Section III – Evaluation and Qualification Criteria</p> <p>1.3 Equipment</p>	<p>Where it reads:</p> <p>The Bidder must demonstrate that it has access to the key equipment listed hereafter:</p> <table border="1" data-bbox="279 1265 534 1870"> <thead> <tr> <th>No</th> <th>Equipment Type and Characteristics</th> <th>Capacity</th> <th>Minimum No Required</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Bulldozers</td> <td>285 HP</td> <td>2</td> </tr> <tr> <td>2</td> <td>Graders</td> <td>250 HP with ripper (minimum)</td> <td>6</td> </tr> <tr> <td>3</td> <td>Dumper truck</td> <td>11-18 ton</td> <td>20</td> </tr> <tr> <td>4</td> <td>Wheel loader</td> <td>2m³ (minimum)</td> <td>3</td> </tr> <tr> <td>5</td> <td>Backhoe loader</td> <td>0.5m³ bucket (minimum)</td> <td>2</td> </tr> <tr> <td>6</td> <td>Pneumatic tired Compact or</td> <td>10 Ton (minimum)</td> <td>6</td> </tr> <tr> <td>7</td> <td>Vibratory steel drum rollers</td> <td>10 Ton (minimum)</td> <td>4</td> </tr> </tbody> </table>	No	Equipment Type and Characteristics	Capacity	Minimum No Required	1	Bulldozers	285 HP	2	2	Graders	250 HP with ripper (minimum)	6	3	Dumper truck	11-18 ton	20	4	Wheel loader	2m ³ (minimum)	3	5	Backhoe loader	0.5m ³ bucket (minimum)	2	6	Pneumatic tired Compact or	10 Ton (minimum)	6	7	Vibratory steel drum rollers	10 Ton (minimum)	4	<p>Replace with:</p> <p>The Bidder must demonstrate that it has access to the key equipment listed hereafter:</p> <table border="1" data-bbox="279 1870 534 2199"> <thead> <tr> <th>No.</th> <th>Equipment Type and Characteristics</th> <th>Capacity</th> <th>Minimum No Required</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Bulldozers</td> <td>285 HP</td> <td>2</td> </tr> <tr> <td>2</td> <td>Graders</td> <td>250 HP with ripper (minimum)</td> <td>6</td> </tr> <tr> <td>3</td> <td>Dumper truck</td> <td>11-18 ton</td> <td>20</td> </tr> <tr> <td>4</td> <td>Wheel loader</td> <td>2m³ (minimum)</td> <td>3</td> </tr> <tr> <td>5</td> <td>Backhoe loader</td> <td>0.5m³ bucket (minimum)</td> <td>2</td> </tr> <tr> <td>6</td> <td>Pneumatic tired Compact</td> <td>10 Ton (minimum)</td> <td>6</td> </tr> <tr> <td>7</td> <td>Vibratory steel drum roller</td> <td>10 Ton (minimum)</td> <td>4</td> </tr> </tbody> </table>	No.	Equipment Type and Characteristics	Capacity	Minimum No Required	1	Bulldozers	285 HP	2	2	Graders	250 HP with ripper (minimum)	6	3	Dumper truck	11-18 ton	20	4	Wheel loader	2m ³ (minimum)	3	5	Backhoe loader	0.5m ³ bucket (minimum)	2	6	Pneumatic tired Compact	10 Ton (minimum)	6	7	Vibratory steel drum roller	10 Ton (minimum)	4
No	Equipment Type and Characteristics	Capacity	Minimum No Required																																																																
1	Bulldozers	285 HP	2																																																																
2	Graders	250 HP with ripper (minimum)	6																																																																
3	Dumper truck	11-18 ton	20																																																																
4	Wheel loader	2m ³ (minimum)	3																																																																
5	Backhoe loader	0.5m ³ bucket (minimum)	2																																																																
6	Pneumatic tired Compact or	10 Ton (minimum)	6																																																																
7	Vibratory steel drum rollers	10 Ton (minimum)	4																																																																
No.	Equipment Type and Characteristics	Capacity	Minimum No Required																																																																
1	Bulldozers	285 HP	2																																																																
2	Graders	250 HP with ripper (minimum)	6																																																																
3	Dumper truck	11-18 ton	20																																																																
4	Wheel loader	2m ³ (minimum)	3																																																																
5	Backhoe loader	0.5m ³ bucket (minimum)	2																																																																
6	Pneumatic tired Compact	10 Ton (minimum)	6																																																																
7	Vibratory steel drum roller	10 Ton (minimum)	4																																																																

No	Reference	Bidding Document		Addendum-3	
8	Mounted Crane	30-40 Ton (minimum)	2	Mounted Crane	30-40 Ton (minimum)
9	Low bed Truck	As per contractor Proposal it is open.	2	Low bed Truck	As per contractor Proposal it is open.
10	Bitumen storage tank	10 000 l (minimum)	1	Bitumen storage tank	10 000 l (minimum)
11	Chips spreader (Self-propelled)	2- 2,22 L/m ²	1	Chips spreader (Self-propelled)	2- 2,22 L/m ²
12	Bitumen spreader distributor	6000 l/min (minimum)	1	Bitumen spreader distributor	6000 l/min (minimum)
13	Mechanical broom	As per contractor Proposal it is open.	1	Mechanical broom	As per contractor Proposal it is open.
14	Concrete mix Plant	50 m ³ /h	2	Concrete mix Plant	5m ³
15	Concrete transit mixer	8 m ³	2	Concrete transit mixer	8 m ³
16	Concrete pump	As per contractor Proposal it is open.	1	Concrete pump	As per contractor Proposal it is open.
17	Generator	350KVA	4	Generator	350KVA
18	Compressor	As per contractor Proposal it is open.	4	Compressor	As per contractor Proposal it is open.
19	Water pump	As per contractor Proposal it is open.	4	Water pump	As per contractor Proposal it is open.
20	Water Browser	12 000 Litter	8	Water Browser	12 000 Litter
21	Fuel tank	30.000 Lt	2	Fuel tank	30.000 Lt
22	Vibrating plate	As per contractor Proposal it is open.	2	Vibrating plate	As per contractor Proposal it is open.
23	Pick-up truck	4 Ton	6	Pick-up truck	4 Ton
24	Excavator	0.8-1.4 m ³	6	Excavator	0.8-1.4 m ³
25	Concrete batch plant	5 m ³	1	Concrete batch plant	50m ³ /h

Reference		Bidding Document				Addendum-3																					
5	Volume -1 - Section iv- Bidding Forms	SCHEDULE E H- Projected Cash Flow	26	Multiple stage Crusher Plant	100 m ³ /h	1	26	Multiple stage Crusher Plant	100 m ³ /h	1																	
			27	Tandem roller	10 Ton	4	27	Tandem roller	10 Ton	4																	
		Where it reads:	Replace with:																								
		SCHEDULE H- Projected Cash Flow	SCHEDULE H- Projected Cash Flow																								
		(1) Bidders shall tabulate below estimates, based on their preliminary work programme, of:	(1) Bidders shall tabulate below estimates, based on their preliminary work programme, of:																								
		(a) On the expenditure side, the value of the work which will be carried out;	(a) On the expenditure side, the value of the work which will be carried out;																								
		(b) On the revenue side, the net payments to which they will become entitled with due allowance for the advance payment and repayment, materials prepayments, and retention money, but excluding price adjustments for rise and fall and provisional sums for emergency works.	(b) On the revenue side, the net payments to which they will become entitled with due allowance for the advance payment and repayment, materials prepayments, and retention money, but excluding price adjustments for rise and fall and provisional sums for emergency works.																								
		(c) The projected net cash flow during the Contract Period.	(c) The projected net cash flow during the Contract Period.																								
		(2) The prospective successful Bidder may be required to submit full details to substantiate his estimates.	(2) The prospective successful Bidder may be required to submit full details to substantiate his estimates.																								
			<table border="1"> <thead> <tr> <th rowspan="2">Period (Months)</th> <th colspan="2">Expenditures</th> <th colspan="2">Revenues</th> <th rowspan="2">Net Cash-Flow [% of total Contract Amount]</th> </tr> <tr> <th>Cost/Value of Rehabilitation and Improvement Works</th> <th>Cost/Value of Maintenance Services [% of total]</th> <th>Payments to be received [% of total Contract Amount]</th> <th>For Rehabilitation and Maintenance Services</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								Period (Months)	Expenditures		Revenues		Net Cash-Flow [% of total Contract Amount]	Cost/Value of Rehabilitation and Improvement Works	Cost/Value of Maintenance Services [% of total]	Payments to be received [% of total Contract Amount]	For Rehabilitation and Maintenance Services	Total						
Period (Months)	Expenditures		Revenues		Net Cash-Flow [% of total Contract Amount]																						
	Cost/Value of Rehabilitation and Improvement Works	Cost/Value of Maintenance Services [% of total]	Payments to be received [% of total Contract Amount]	For Rehabilitation and Maintenance Services		Total																					

No	Reference	Bidding Document				Addendum-3				
		[show amount and currency]	[show amount and currency]	Improvement Works	nce Services	[% of total Contract Amount]	Contract Amount	Improvement Works		
		1 to 6								
		6 to 12								
		12 to 18								
		18 to 24								
		24 to 30								
		30 to 36								
		36 to 42								
		42 to 48								
		48 to 54								
		54 to 60								
		...etc								
		...								
		Total								

The cash flow projection shall be in terms of percentages of total contract price, without disclosing the bidder's actual bid prices. A bidder disclosing his bid price in his technical bid may be eliminated from the bidding process

No	Reference	Bidding Document	Addendum-3
6	<p>Volume -2 Specific ation- Part B- Technic al and Perfor mance Specific ations</p> <p>B.9 Facilities and equipe nt to be provided by Contracto r</p>	<p>Where it reads: B.9.2.2 Residential accommodation 2.1. Specification for Residential Accommodation – The Contractor shall construct 7 No. Type 1 accommodation of which 6 houses for the Monitoring Consultant's staff and 1 for visiting Employers staff..... The houses of Type 1 shall have 3 bedrooms and be not less than 140 square meters in plan area (excluding the veranda). The layout shall be shown on drawings to be approved by the Monitoring Consultant. All bedrooms, both types, shall be provided with en-suite bathroom facilities.</p>	<p>Enclosed the indicative layout drawing of Type-1, Type-2 and Type-3 type houses. The indicative drawing is for the understanding of the bidders.</p>